



TRANSPORTATION PERMIT

City of La Cañada Flintridge
 Public Works Department
 One Civic Center Drive
 La Cañada Flintridge, CA 91011
 (818) 790-8882
 (818) 790-8897 (fax)

IN COMPLIANCE WITH YOUR REQUEST AND SUBJECT TO ALL OF THE TERMS
 CONDITIONS AND RESTRICTIONS WRITTEN BELOW AND THE ATTACHMENTS,
 PERMISSION IS HEREBY GRANTED TO:

Transporter Name		Permit Valid From ____ am/pm ____/____/____ To ____ am/pm ____/____/____		Permit Number	
Street Address					
City/State		Moving Authorized		<input type="checkbox"/> Single Use (\$16.00) <input type="checkbox"/> Annual (\$90.00)	
Phone		Saturday <input type="checkbox"/> Yes <input type="checkbox"/> No Sunday <input type="checkbox"/> Yes <input type="checkbox"/> No Darkness <input type="checkbox"/> Yes <input type="checkbox"/> No			
Fax					
<input type="checkbox"/> Haul <input type="checkbox"/> Drive <input type="checkbox"/> Tow		Describe Load or Equipment and Model No.		SPECIAL CONDITIONS <input checked="" type="checkbox"/> General Conditions (1) <input checked="" type="checkbox"/> Liability Insurance <input type="checkbox"/> Minimum Lighting (2) <input type="checkbox"/> Restricted Routes (3) <input type="checkbox"/> Truck Cranes (4) <input type="checkbox"/> Oversize Equip (5) <input type="checkbox"/> Mobile Trailer (6) <input type="checkbox"/> Pilot Cars (7) <input type="checkbox"/> Other - See Attached	
Type of Transport Vehicle					
King Pin to Last Axle		Combined Vehicle Length			
LOADED DIMENSIONS DIFFERENT THAN OR WEIGHTS EXCEEDING THOSE SHOWN BELOW ARE NOT AUTHORIZED					
Weight	Max. Height		Max Width		Max. Overall Length
Axle No.	1	2	3	4	5
No. of Tires					
Axle Spacing					
Axle Width					
Origin	Destination			No. Trips	
Authorized City Streets and/or Route: _____ * = Other Agency Permit Required					
Pilot Car Required <input type="checkbox"/> Yes <input type="checkbox"/> None Required					
PILOT CAR REQUIRED AT 12'-0" FEET WIDE AND WIDER FRONT AND REAR PILOT CARS REQUIRED AT 15'-0" FEET AND WIDER.					
Bridges on Route: <input type="checkbox"/> No <input type="checkbox"/> Yes If Yes, check if <input type="checkbox"/> Load Over 14'-0" high or <input type="checkbox"/> Axle Weight over allowable vehicle code.					
Fee	Print Permittee Name			Form Revised 11/5/2009	
Receipt No.	Permittee Authorized Signature			Date	
Receipt Date	City Approval Signature			Date	


The City of La Cañada Flintridge recognizes all requirements and conditions contained in the Los Angeles County Transportation Permit regulations. Whenever a reference to Los Angeles County is made for an applicable condition, it shall be replaced with "City of La Cañada Flintridge", with all authority and jurisdiction transferred to the City.

LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

TRANSPORTATION PERMIT REQUIREMENTS

LEGAL DIMENSIONS

HEIGHT: ≤ 13' 6" Unladen; ≤ 14' 0" Laden; WIDTH: ≤ 8' 6"; LENGTH: ≤ 40' 0" Single Unit; < 65' 0" Semi Trailer; House Trailer: ≤ 75' 0" Combination With Trailer
 WEIGHT: Legal (Yellow) - C.V.C. Section 3559; Legal if Weight for Single Axle < 20,000 lbs, Front Steering Axle ≤ 12,500 lbs (Rating of Highways)
if any one dimension exceeds above, a permit is required.



NOTES:

- Annuals and Single Trip permits:** Movement prohibited between the hours of 7:00am and 9:00am and 4:00pm to 6:00pm; and from noon Saturday to 11:00pm Sunday.
- Night Inspection Permits:** Movement must be completed between the hours of 11:00pm and 5:00am (will consider specific variance).
- Annual Permits:** Permit issued for tractor for maximum configuration and weight capacity. Good for multiple trailers that are ≤ permit dimensions and weights.
- Single Trip Permits:** Permit issued for load, trailer dimensions and weights. Tractors are interchangeable as long as dimensions and weights are not exceeded.
- Night Inspection Permits:** Permit issued for load, tractor-trailer dimensions and weights.
- *** The inspection fee for unusually large or heavy loads will be calculated as an actual cost inspection. A deposit will be required. (See accompaniments for more information)

City of La Canada Flintridge
TRAFFIC CONTROL REQUIREMENTS

1. The Contractor shall obtain a City Permit for work performed in the right-of-way, and provide the City with general liability insurance in the amount of \$1,000,000.00, naming the City as additionally insured.
2. It is the responsibility of the Contractor performing work on a public street to install and maintain the traffic control devices according to the "Work Area Traffic Control Handbook", latest edition, to insure the safe movement of traffic and pedestrians through or around the work area and provide maximum protection and safety to construction workers. The Contractor shall submit a traffic control plan for approval prior to start of work for any conditions not covered by the WATCH.
3. FLASHING ARROW BOARD(S) ARE MANDATORY FOR LANE CLOSURES ON MAJOR STREETS. They shall operate until traffic control is removed.
4. All travel lanes shall be open between 5:00 a.m. and 8:30 a.m. and between 3:30 p.m. and 9:00 p.m. One travel lane in each direction shall be open at all times between 8:30 a.m. and 3:30 p.m. Flaggers may be used if one lane in each direction can not be kept open with the approval of the Traffic Engineer. All traffic lanes shall be open before and after work hours.
5. All open trenches shall be covered with non-skid steel plates or temporary asphalt pavement before and after work hours.
6. All signs, delineators, barricades, etc., shall conform to the State of California Standard Specifications latest edition, the California Department of Transportation "Manual of Traffic Control for Construction and Maintenance Work Zones: (latest edition), and the "WATCH", latest edition. All barricades shall be equipped with flashing/steady burn warning lamps at night. All cones, delineators, barricades, and "k" rail shall be reflectorized. All traffic control shall be kept in their proper position at all times, and shall be repaired, replaced, or cleaned as necessary to preserve their appearance and continuity. Any devices not part of the required traffic control or detours shall be removed from the view of the travelling public immediately.
7. The Contractor shall notify the MTA Bus Stops and Zones Dispatcher and any other affected transit services at least two working days prior to construction.
8. Where necessary, properly post "TEMPORARY NO PARKING ANYTIME" signs at least 72 hours before start of work. The Contractor shall notify the local Police Department immediately upon posting signs.
9. Vehicular and pedestrian access to adjacent properties shall be provided at all times. Closed sidewalks shall be posted with "SIDEWALK CLOSED" signs at each approach to the closure and an approved alternate route provided.
10. Protect traffic signal detectors in place or replace within 5 calendar days of final paving. All detectors damaged by the work shall be replaced to the standards of the City Public Works Department.
11. Notify Public Works Department at least 48 hours prior to any work in right-of-way.
12. Any revisions to the traffic control plans or requirements shall be approved by the City/Traffic Engineer.



LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

ATTACHMENT NO. 1 - MOVING PERMIT

1. **LIMIT OF AUTHORIZATION.** This permit is valid only on routes under the jurisdiction of Los Angeles County and/or the incorporated cities which have a current permit issuance agreement with the County. See Attachment Number 13 "INCORPORATED CITIES – PERMIT ISSUANCE AUTHORITY"
 - This permit is not valid on State Highways or the roadway crossing under or over a State Freeway. A separate moving permit is required from the State (CALTRANS).
 - This permit is **not valid** on streets or bridges that have posted weight limits.
2. **NIGHT MOVES.** Any load moved during night time hours shall meet State of California and Los Angeles County requirements and shall be properly lighted with warning lights and signs as required by law and adopted ordinance. (See Attachment No. 2 – "MINIMUM LIGHTING REQUIREMENT")
3. **PARKING OF VEHICLE.** Permittee shall not stand nor park the permitted vehicle where it creates a hazard or traffic obstruction. If at the beginning of a restricted period the vehicle is within a location where it creates a hazard or traffic obstruction; it shall continue to move, following the permitted route and using reasonable care or precautions to prevent traffic disruption, to the nearest suitable location where the load may be parked for the duration of the restricted period. **An encroachment permit may be required from the governing agency.**
4. **MOVING IN INCLEMENT WEATHER.** Movement shall not occur in snow, fog, rain, or wind when visibility is reduced to less than 1,000 feet (304.8 meters). Movement is prohibited when road surfaces are hazardous or use of tire chains is mandatory. In addition, manufactured housing shall not move when the velocity of the wind is such that it causes the vehicle being towed to whip or swerve from side-to-side or fail to follow substantially in the path of the towing vehicle. If inclement weather is encountered during the movement of the vehicle, it shall continue to move, using reasonable care and precaution to prevent traffic disruption, to the nearest suitable location to where the load may be parked until the inclement weather passes. The speed limit shall not exceed 25 mph or the posted speed whichever is less when moving to park at the nearest suitable location.
5. **OPERATING HOURS.** This permit is valid within the period stated on the face of the permit. Also, unless specifically stated otherwise (See Section III, Overwidth), moving is prohibited from 7 a.m. to 9 a.m. and 4 p.m. to 6 p.m. everyday. In addition, no movement allowed during the following holidays (National Observation day):

New Years	Fourth of July	Thanksgiving (and the following day)
Memorial Day	Labor Day	Christmas
6. **PERMIT TO BE CARRIED ON VEHICLE.** This permit is valid only when it is carried on the permitted vehicle.
7. **PERMIT SUBJECT TO INSPECTION.** This permit is the property of the Los Angeles County Department of Public Works and must be surrendered upon demand to any law enforcement officer or employee of the Los Angeles County Department of Public Works charged with the care and protection of highways.
8. **COMPLY WITH APPLICABLE LAW.** Except as specifically authorized in the permit; the requirements of the California Vehicle Code and any other applicable laws must be complied with at all times.

II. OVER-LENGTH

1. **PILOT CARS.** One front pilot car is required for permitted loads 110 feet long or greater. Two pilot cars are required when the overall length is 115 feet long or greater, unless specified otherwise on the face of the permit. When two pilot cars are required, one pilot car must be located in front of the permitted vehicle; the other pilot car must be located at the rear of the permitted vehicle. Rear steering trailers require two pilot cars when the overall length exceeds 125 feet.
2. **RESTRICTED HOURS.** Any permitted load 110 feet long or greater and rear steering trailers exceeding 125 feet long; will be restricted to the hours of 11 p.m. to 5 a.m. and may not move from 6 a.m. Saturday until 11 p.m. Sunday.
3. **INSPECTION.** Any load 110 feet long or greater and rear steering trailers exceeding 125 feet long; may be subject to inspection by a Department of Public Works representative. **The inspection must be arranged at least 24 hours prior the scheduled move.**

LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

ATTACHMENT NO. 1 - MOVING PERMIT

III. OVER-WIDTH

1. **PILOT CARS.** One Pilot car shall be required when the load exceeds 12 feet in width. Two Pilot cars shall be required when the load is 15 feet wide or greater. When two pilot cars are required, one pilot car must be located in front of the permitted vehicle; the other pilot car must be located at the rear of the permitted vehicle.
2. **RESTRICTED HOURS.** Any load or vehicle 16 feet wide or greater shall be restricted to moving during the hours of 11 p.m. to 5 a.m. everyday. Any load or vehicle greater than 10 feet wide, but less than 16 feet wide, shall not move between the hours of 7 to 9 a.m. and 4 to 6 p.m.. Loads equal to or less than 10 feet wide do not have restricted days or hours under clear weather conditions, including Sunday.
3. **INSPECTION / ESCORT.** Any load 16 feet wide or greater is subject to inspection by a Los Angeles County Department of Public Works representative. The inspection must be arranged at least 24 hours prior to the scheduled move.

IV. OVER-HEIGHT

1. **IMPAIRED VERTICAL CLEARANCE.** It shall be the responsibility of the permittee to check all underpasses, bridges, overhead wires, or other structures for impaired vertical clearance and to bypass or arrange clearance at such locations.
2. **OVERHEAD LINES.** Permittee must notify the owner of all overhead lines that may be disturbed or damaged by his operation and secure approval to manipulate said facilities at least 24 hours prior to scheduled move.
3. **SNOOTER AND ROOF BOARDS.** Snooter and roof boards are required for loads exceeding 18 feet and shall extend above the highest point and travel the length of the permitted load.
4. **PILOT CARS.** One Pilot car shall be required when the load is 17 feet high or higher. Two Pilot cars shall be required when the load is in excess of 18 feet. When two pilot cars are required, one pilot car must be located in front of the permitted vehicle; the other pilot car must be located at the rear of the permitted vehicle.
5. **RESTRICTED HOURS.** All loads 18 feet high or higher must be moved during the hours of 11 p.m. to 5 a.m. and may not move from 6 a.m. on Saturday until 11 p.m. Sunday.
6. **INSPECTION.** Any load 18 feet or greater is subject to inspection by a Los Angeles County Department of Public Works representative. The inspection must be arranged for at least 24 hours prior to the scheduled move.

V. OVER-WEIGHT

1. **OVERWEIGHT.** Axle weights shall not exceed those shown on the face of the permit. Design, structure review shall be required for all load and vehicle combinations exceeding 125 tons (gross). Submittal of a load configuration diagram and an actual cost deposit is required to perform review. Required document and deposit shall be submitted a minimum of 10 business days, prior to the requested date of movement.
 - Any permitted load and vehicles in excess of 75 tons (gross) shall not exceed 15 M.P.H. when approaching any crossing or structure.
 - Any permitted load and vehicles in excess of 125 tons (gross) shall not exceed 5 M.P.H. when approaching any crossing or structure. Only permitted vehicle shall be allowed on structure during crossing.

VI. SIGNS

1. Unless specifically stated on the face of the permit, all loads or vehicles being moved in Los Angeles County under the provisions of Section 35780 C.V.C., must display appropriate warning signs when the dimensions of the permitted vehicle exceed the following:
 - **Width** > 102-inches, **Length** > legal, **Height** > 14 feet when loaded or **Overhang** is 10 feet or greater.
2. **SIGN TYPE AND CONSTRUCTION.** Signs shall be posted at the front and rear of the permitted vehicle and shall read; "OVERSIZE LOAD", "WIDE LOAD", "LONG LOAD" or as appropriate for front or rear overhang. The "OVERSIZE LOAD" sign shall have preference when a combination of features exists. The lettering shall be a 10-inch minimum height with a 2-inch minimum brush stroke and a minimum of 1-inch border all around. All signs must have black letters on a yellow background mounted at least 18-inches above the road surface, front and rear. Signs must be neat, clean, legible, mounted securely and be visible from straight ahead or directly behind and from 45 degrees on each side thereof. All signs must be illuminated for night moves or be constructed of suitable reflectorized material to be clearly visible to approaching traffic. All signs shall be removed immediately upon completion of the move.

7-3 LIABILITY INSURANCE. The Permittee shall furnish the Agency a policy or certificate of liability insurance in which the Agency is the named insured or is named as an additional insured with the contractor. Notwithstanding any inconsistent statement in the policy or any subsequent endorsement attached thereto, the Agency shall be the insured or named as an additional insured covering the work, whether liability is attributable to the Permittee or the Agency. The policy shall insure the Agency, its officers, employees and agents while acting within the scope of their duties on the work, against all claims arising out of or in connection with the work.

The Permittee may file insurance acceptable to the Agency covering more than one permit. The coverage shall provide the following minimum limits:

Bodily Injury	\$ 250,000 each person
	\$ 500,000 each occurrence
	\$ 500,000 aggregate products and completed operations
Property Damage	\$ 100,000 each occurrence
	\$ 250,000 aggregate

A combined single limit policy with aggregate limits in the amount of \$ 1,000,000 will be considered equivalent to the required minimum limits.

Except as provided for in Subsection 6-10, the Permittee shall save, keep and hold harmless the Agency, its officers and agents from all damages, costs or expenses in law or equity that may at any time arise or be set up because of damages to property, or personal injury received by reason of or in the course of performing work, which may be caused by any willful or negligent act or omission by the Permittee, any of the Permittee's employees, or any Subcontractor. The Agency will not be liable for any accident, loss or damage to the work prior to its completion and acceptance.

All liability insurance policies shall bear an endorsement or shall have attached & rider whereby it is provided that, in the event of expiration or proposed cancellation of such policies for any reason whatsoever, the Agency shall be notified by registered mail return receipt requested, giving a sufficient time before the date thereof to comply with any applicable law or statute, but in no event less than 30 days before expiration or cancellation is effective.

7-3 LIABILITY INSURANCE. Add the following to the end of the first paragraph:

The liability insurance policy must contain the following language:

"ADDITIONAL INSURED UNDER THIS POLICY: The County of Los Angeles and its officers and employees while acting within the scope of their duties against all claims arising out of or in connection with the work to be performed."



LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS
ATTACHMENT NO. 2 - MINIMUM LIGHTING REQUIREMENT

1. **OPERATING HOURS.** Provisions of this attachment shall remain in effect from sunset to sunrise or as indicated on the face of the permit.
2. **EQUIPMENT.** All required lighting equipment must conform to the most current regulations as set forth in the California Vehicle Code.
3. **OVER-WIDTH LOADS.** Loads extending beyond the side of a vehicle, where the overall width of the vehicle and load that exceed 102 inches (8' 6"), shall be equipped with combination clearance and side-marker lamps on the front (amber), to the side (amber) and at the rear (red). Combination clearance and side marker lamps shall be mounted, so the lenses project to the outer extremity of the permitted vehicle or load, at a minimum interval of five feet and at a maximum height of five feet above the roadway.
4. **OVER-HEIGHT LOADS.** Loads 18 feet high or higher require a white flood light; projecting from the towing vehicle illuminating the entire front of load and adjusted so that the light will not project beyond the width of load.
5. **VARIANCES.** Due to field conditions; these requirements may be adjusted, modified and/or additional requirements may be requested by the field inspector.



LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS
ATTACHMENT NO. 4 – SINGLE AND COMBINATION TRUCK CRANES

- 1. LIMIT OF AUTHORIZATION.** This permit is valid only on routes under the jurisdiction of Los Angeles County and/or the incorporated cities which have a current permit issuance agreement with the County. See ATTACHMENT No. 13 "INCORPORATED CITIES – PERMIT ISSUANCE AUTHORITY"

 - This permit is not valid on State Highways or the roadway crossing under or over a State Freeway. A separate moving permit is required from the State (CALTRANS).
 - This permit is **not valid** on streets or bridges that have posted weight limits.
 - This permit **does not allow** the permittee to use of any roadway for the purpose of conducting crane operations. A separate encroachment permit may be required from governing agencies. Depending on location.
- 2. COMPLY WITH APPLICABLE LAWS.** Except as specifically authorized in the permit; the requirements of the California Vehicle Code and any other applicable laws must be complied with at all times.
- 3. FRONT OVERHANG.** When overhang to the front exceeds 12 feet beyond the front face of the tire of the foremost wheel, the overhang shall be deemed excessive and a warning sign reading "CAUTION-EXCESSIVE FRONT OVERHANG" in black letters not less than 4-inches high must be displayed on the rear of the vehicle or combination of vehicles. When traveling during the hour of darkness, these signs must be illuminated with electric lights, unless they have been constructed with a background of suitable reflectorized material to be readily visible to approaching traffic.

 - A pilot car, traveling at a suitable distance to provide protection for traffic, shall travel in front of the vehicle at all times when the front overhang exceeds 25 feet beyond the front face of the foremost wheel. At no time shall the front overhang exceed 32 feet beyond the front face of the tire of the foremost axle, unless specifically authorized on the face of the permit
- 4. REAR OVERHANG.** When there is an overhang to the rear exceeding 20 feet beyond the back face of the rearmost tire of the vehicle or combination of vehicles, a pilot car shall travel behind the vehicle at all times at a suitable distance to provide protection to approaching traffic. In no case shall the rear overhang exceed 35 feet beyond the back face of the rearmost tire of the vehicle or combination of vehicles
- 5. PILOT CARS.** Pilot cars shall be equipped with signs as specified in Items 4, 5 & 8 and must conform to the requirements set forth in Attachment No. 7 – "SPECIAL ATTACHMENT FOR PILOT CAR(S)".
- 6. MAXIMUM LENGTH.** At no time, shall the overall length of the unit, measure from the outermost extremities, exceed 85 feet, unless specifically authorized on the face of the permit.
- 7. OVER WIDTH VEHICLES.** The maximum allowable width for the permitted vehicles and load shall be 12 feet. If a vehicle exceeds 102 inches wide (8' 6"), warning signs shall be posted at the front and rear of the permitted vehicle and shall read; "OVERSIZE LOAD" or "WIDE LOAD". The "OVERSIZE LOAD" sign shall have preference when a combination of features exists. The lettering shall be a 10-inch minimum height with a 2-inch minimum brush stroke and a minimum of 1-inch border all around. All signs must have black letters on a yellow background mounted at least 18-inches above the road surface, front and rear. Signs must be neat, clean, legible, mounted securely and be visible from straight ahead or directly behind and from 45 degrees on each side thereof. All signs must be illuminated for night moves or be constructed of suitable reflectorized material to be clearly visible to approaching traffic. All signs shall be removed immediately upon completion of the move.
- 8. HEIGHT LIMITATION.** Per provisions of Section 35350 of the California Vehicle Code, the maximum height of the permitted vehicle shall not exceed 14 feet. Permitted vehicles exceeding 13 feet 6-inches shall comply with the provisions of Section 35351 of the California Vehicle Code. Unless otherwise stated on the face of the permit.

LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

ATTACHMENT NO. 4 – SINGLE AND COMBINATION TRUCK CRANES

9. OPERATING HOURS. This permit is valid within the period stated on the face of the permit. Loads equal to 10 feet wide or less do not have restricted days or hours under clear weather conditions, including Sunday. Any load or vehicle greater than 10 feet wide, but less than max allowed, shall not move between the hours of 7 to 9 a.m. and 4 to 6 p.m. every day. In addition, no movement is allowed during the following holidays (National day observation):

New Year's Day
Memorial Day

Fourth of July
Labor Day

Thanksgiving Day (and the following day)
Christmas Day

- Moving is prohibited in the following described areas:
 1. Westerly curb RT-27 from the Pacific Ocean to the intersection of RT-118-210.
 2. RT-118-210 to the easterly boundary (Pennsylvania Avenue) of the City of Glendale.
 3. Northerly along the projection of Pennsylvania Avenue to the San Gabriel Mountains.
 4. Easterly along the southerly edge of the San Gabriel Mountains, including all roads in the foothill areas, to the Los Angeles County line
 5. Southerly along the easterly County line to the Pacific Ocean.

10. MOVING IN INCLEMENT WEATHER. Movement shall not occur in snow, fog, rain, or wind when visibility is reduced to less than 1,000 feet (304.8 meters). Movement is prohibited when road surfaces are hazardous or use of tire chains is mandatory. If inclement weather is encountered during the movement of the vehicle, it shall continue to move, using reasonable care and precaution to prevent traffic disruption, to the nearest suitable location to where the load may be parked until the inclement weather passes. The speed limit shall not exceed 25 mph or the posted speed whichever is less when moving to park at the nearest suitable location.

11. PARKING OF VEHICLE. Permittee shall not park the permitted vehicle on any street which is posted "NO PARKING ALLOWED". Also, permittee shall not stand nor park the permitted vehicle where it creates a hazard or traffic obstruction. If at the beginning of a restricted period the vehicle is within a location where it creates a hazard or traffic obstruction; it shall continue to move, using reasonable care or precautions to prevent traffic disruption, to the nearest suitable location where the load may be parked for the duration of the restricted period. **An additional encroachment permit may be required from the governing agency.** Depending on location.

12. KEEP TO RIGHT OF CENTERLINE. The permitted vehicle must be kept to the right of the highway centerline at all times and must stay off of shoulders; except when entering or leaving the highway or when necessary to allow trailing traffic to pass on narrow or winding roads.

13. PERMIT TO BE CARRIED ON VEHICLE. This permit is valid only when it is carried on the permitted vehicle.

14. PERMIT SUBJECT TO INSPECTION. This permit is the property of the Los Angeles County Department of Public Works and must be surrendered upon demand to any law enforcement officer or employee of the Los Angeles County Department of Public Works charged with the care and protection of highways



LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

ATTACHMENT NO. 6 – OVERWIDTH TRAILER COACH

1. **LIMIT OF AUTHORIZATION.** This permit is valid only on routes under the jurisdiction of Los Angeles County and/or the incorporated cities which have a current permit issuance agreement with the County. See ATTACHMENT NO. 13 "INCORPORATED CITIES – PERMIT ISSUANCE AUTHORITY"
 - This permit is not valid on State Highways or the roadway crossing under or over a State Freeway. A separate moving permit is required from the State (CALTRANS).
 - This permit is **not valid** on streets or bridges that have posted weight limits.
2. **COMPLY WITH APPLICABLE LAWS.** Except as specifically authorized in the permit; the requirements of the California Vehicle Code and any other applicable laws must be complied with at all times.
3. This permit is **not valid** unless issued to licensed manufacturers, dealers or transporters. See sections 35780.3 of the California Vehicle Code.
4. **MAXIMUM LENGTH AND WIDTH.** The maximum combined length shall not exceed 105 feet (80 feet for trailer, including tongue) exclusive of required lights and devices. The maximum width shall not exceed 14 feet. See sections 35109 and 35110 of the California Vehicle Code.
5. **TOWING UNIT.** The towing unit shall have a minimum unladen weight of 6500 lbs. with dual wheels for trailers up to 12' wide. For trailers exceeding 12 feet, the towing unit shall have a minimum unladen weight of 6500 lbs. with dual wheels.
6. **GROSS WEIGHT.** Axle weights shall be 6000 lbs. maximum per axle.
7. **SIGN TYPE AND CONSTRUCTION.** Signs, when required, shall be posted at the front and rear of the permitted vehicle and shall read; "OVERSIZE LOAD", "WIDE LOAD", "LONG LOAD" or as appropriate for front or rear overhang. The "OVERSIZE LOAD" sign shall have preference when a combination of features exists. The lettering shall be a 10-inch minimum height with a 2-inch minimum brush stroke and a minimum of 1-inch border all around. All signs must have black letters on a yellow background mounted at least 18-inches above the road surface, front and rear. Signs must be neat, clean, legible, mounted securely and be visible from straight ahead or directly behind and from 45 degrees on each side thereof. All signs must be illuminated for night moves or be constructed of suitable reflectorized material to be clearly visible to approaching traffic. All signs shall be removed immediately upon completion of the move.
8. **KEEP TO RIGHT OF CENTERLINE.** The permitted vehicle and load must be kept to the right of the highway centerline at all times and must stay off of shoulders; except when entering or leaving the highway or when necessary to allow trailing traffic to pass on narrow or winding roads.
9. **OPERATING HOURS.** This permit is valid within the period stated on the face of the permit. Any load or vehicle greater than 10 feet wide, but less than 12 feet wide, shall not move between the hours of 7 to 9 a.m. and 4 to 6 p.m. every day. Any load or vehicle 12 feet wide, but less than max allowed, shall not move between the hours of 7 to 9 a.m. and 4 to 6 p.m. every weekday and may not move from 12 noon on Saturday until 11 p.m. Sunday.
10. **MOVING IN INCLEMENT WEATHER.** Movement shall not occur in snow, fog, rain, or wind when visibility is reduced to less than 1,000 feet (304.8 meters). Movement is prohibited when road surfaces are hazardous or use of tire chains is mandatory. If inclement weather is encountered during the movement of the vehicle, it shall continue to move, using reasonable care and precaution to prevent traffic disruption, to the nearest suitable location to where the load may be parked until the inclement weather passes. The speed limit shall not exceed 25 mph or the posted speed whichever is less when moving to park at the nearest suitable location.
11. **PARKING OF VEHICLE.** Permittee shall not park the permitted vehicle on any street which is posted "NO PARKING ALLOWED". Also, permittee shall not stand nor park the permitted vehicle where it creates a hazard or traffic obstruction. If at the beginning of a restricted period the vehicle is within a location where it creates a hazard or traffic obstruction; it shall continue to move, using reasonable care or precautions to prevent traffic disruption, to the nearest suitable location where the load may be parked for the duration of the restricted period. **An additional encroachment permit may be required from the governing agency.** Depending on location.
12. **PERMIT TO BE CARRIED ON VEHICLE.** This permit is valid only when it is carried on the permitted vehicle.
13. **PERMIT SUBJECT TO INSPECTION.** This permit is the property of the Los Angeles County Department of Public Works and must be surrendered upon demand to any law enforcement officer or employee of the Los Angeles County Department of Public Works charged with the care and protection of highways.



LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS

ATTACHMENT NO. 7 – PILOT CAR(S) PROVISIONS

1. **LIMIT OF AUTHORIZATION.** This permit is valid only on routes under the jurisdiction of Los Angeles County and/or the incorporated cities which have a current permit issuance agreement with the County. See attachment number 13 "INCORPORATED CITIES – PERMIT ISSUANCE AUTHORITY"
 - This permit is not valid on State Highways or the roadway crossing under or over a State Freeway. A separate moving permit is required from the State (CALTRANS).
 - This permit is **not valid** on streets or bridges that have posted weight limits.

2. **EQUIPMENT.** Pilot Car(s) driver safety equipment and vehicle shall conform and comply with all regulations of the California Vehicle Code. Failure to comply with all (C.V.C.) regulations may result in the permitted vehicle & load being placed out of service until all necessary corrections or additional equipment is obtained to meet said regulations. Regulations include, but are not limited to the following:
 - Company identification placards (C.V.C. section 27904).
 - Warning signs (C.V.C. sections 27904.5 and 35783.5).
 - Warning lights (C.V.C. section 25270).
 - Warning flags (C.V.C. section 28100).
 - Clearance measurement devices (C.V.C. sections 28102 and 35252).
 - Additional requirements as outlined in C.V.C. section 28101

3. **LOCATION.**
 - If one pilot car is required; the pilot car shall precede the permitted vehicle and load while traveling on two (one lane in each direction) or three-lane conventional roadways. When a pilot car is required for rear overhang (i.e. more than 25' 0"); the pilot car shall follow the permitted vehicle and load. On conventional roadways having four or more lanes; the pilot car shall follow permitted vehicle and load.
 - If two pilot cars are required; one pilot car shall precede permitted vehicle and load and the other pilot car shall follow permitted vehicle and load.
 - Pilot cars must remain right of the centerline of the roadway at all times, unless accompanied by an authorized police agency.

4. **RESPONSIBILITIES.**
 - Pilot cars shall maintain communications with the permitted vehicle and load, at all times, via a two-way radio communication device.
 - Pilot cars shall maintain a safe distance from the permitted vehicle and load to allow both passing, when safe and convenient, and as a warning for other traffic.
 - Pilot cars to accompany the permitted vehicle and load through all open/operational scale facilities and/or inspection sites.

5. **RESTRICTIONS.**
 - Pilot car(s) **are not** authorized to stop, pre-empt, or impede opposing traffic.
 - Pilot car(s) **are not** authorized to tow another vehicle while escorting a load unless it is specifically stated on the face of the transportation permit or in a permit rider attached to the valid permit.
 - Pilot car(s) **are not** authorized to escort more than one vehicle and/or load at one time unless specified on the face of the transportation permit or in a permit rider attached to the valid permit.
 - Pilot car(s) **are not** authorized to display STOP/SLOW sign paddles from the window of a moving vehicle.