# CITY OF YUCAIPA ORDINANCE NO 347 POULTRY RANCH INSPECTION

## **PROPERTY MAINTENANCE**

WATER SYSTEM/COOLING SYSTEM:	YES	NO	
Leaks present	х		
Leaks required to be repaired N/A IMM	EDIATELY 🗵	24 HOURS 🗆	
Leaks causing wet manure		х	
Wet manure being removed or treated with lime			
FEED:	YES	NO	
Spilled feed present	х		
Evidence of rodent Infestation present	Х		
EQUIPMENT:	YES	NO	
Operable spray equipment on site	х		

## MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	x	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers		x
Removed from ranch weekly	Х	

## **FLY CONTROL**

BAIT STATIONS:			ES	NO		
Adult fly bait station located at the end of every hou	х					
Bait stations maintained properly					x	
Adult flies:	NOT OBSERVED	LIGHT	MODERATE		HEAVY	
Adult fly population on the ranch	Х					
Emergency Activities need to be implemented		YES	ES NO X		Х	

LARVA BREEDING:	NOT OBSERVED		LIGHT	MODERATE		HEAVY
Larva breeding on the ranch	х					
Emergency activities need to be implemented		YES			NO X	

RANCH IS IN COMPLIANCE YES X NO	NO
---------------------------------	----

#### **OBSERVATIONS:**

No flies were observed while on the exterior of the ranch, inside of the ranch there were minimal flies that were primarily around a bucket of broken eggs. Bucket of broken eggs was not covered and there were approximately 6 dead chickens that needed to be properly disposed of. The ranch had an abundance of feathers around the coops. I observed the small pile of sheet metal remains and should be cleared from the premise. I viewed two dead rodents on the property, fly strips and bait stations needed to be replaced. A leak was observed coming from an irrigation pipe and repair required. The ranch has an excessive amount of overgrown vegetation.

#### **RECOMMENDATIONS:**

Broken eggs and dead chickens must be in a sealed container and removed every 72 hours. Remove the excessive feathers, building material and the excessive vegetation on the ranch and in the public right-of-way. Repair the leak coming from the irrigation pipe. I spoke with the manager who advised the bait stations are changed on Mondays, Wednesdays and Fridays. They would be changed out as soon as possible. I also advised the manager of the dead rodents observed and explained the overgrown vegetation and removal of the building material.

### **ACTION TAKEN:**

Verbal	advisal given	to management who advised	l corrections would b	ne made within 24 hours.

Biosecurity Me	Yes_	Χ	_ No		
Inspected By:	R Carnell				