

Contact the Planning Department for use and development information prior to preparing any plans. Some projects may require by special zoning review before a permit can be issued.

A permit application, construction documents, and a plan check fee are required to be submitted to the Building Division. Work shall not commence until plans have been reviewed and approved, a permit has been issued, and required pedestrian protection measures are in place.

Submittal documents shall include the following:

- □ New plan submittals shall be in **pdf electronic format**.
- □ All plans must be **drawn to scale** and **fully dimensioned**.
- □ Plans should be **designed for reproduction on 24" x 36" paper**.
- Address of Subject Property shall be included on all documents.
- Plot Plan indicating structure(s) to be demolished
- Pedestrian Protection Plan as per the CBC, Section 3306 (see requirements below)
- AQMD Notification (Rule 1403 Notification)
- □ Asbestos Reports (if applicable)
- □ Underground Service Alert Notification (DigAlert)
- □ Water Meter Plan contact the Engineering Division for details
- **Encroachment permit** required when using the public right of way
- SWPPP contact the Engineering Division for details
- □ Traffic Control Plan contact the Engineering Division for details
- □ Sewer abandonment permit when sewer is being abandoned
- □ Waste Management Plan (WMP): California State law requires demolition and construction materials to be recycled. Prior to issuance of any permits, a Waste Management Plan application and fees, if applicable, shall be submitted to the Planning Department for review and approval.

TABLE 3306.1 - TYPE OF PROTECTION REQUIRED FOR PEDESTRIANS

Section 3306 - California Building Code (2019 Edition)

HEIGHT OF CONSTRUCTION	DISTANCE FROM CONSTRUCTION TO LOT LINE	PROTECTION REQUIRED
8 feet or less	Less than 5 feet	Construction railings
	5 feet or more	None
More than 8 feet	Less than 5 feet	Barrier and covered walkway
	5 feet or more, but not more than one fourth the height of construction	Barrier and covered walkway
	5 feet or more, but between one fourth to one half the height of construction	Barrier
	5 feet or more, but exceeding one half the construction height	None