

## Pediatric TB Risk Assessment Questionnaire<sup>1</sup>

A TB screening tool for healthcare providers only

The following questions are designed to determine whether a tuberculin skin test (TST) or Interferon Gamma Release Assay (IGRA) is indicated for your pediatric patient. According to recent CDC guidelines, a TST is preferred for a child less than 5 years of age. If a child is 5 years of age or older and is foreign-born, then an IGRA is preferred.<sup>2</sup>

Name of Child: \_\_\_\_\_

Child's Date of Birth: \_\_\_\_\_

Date of Risk Assessment: \_\_\_\_\_

Questions to be asked of parent/guardian (adolescents can be asked directly):

- 1. Was your child born in a high-risk country?\* Yes 
  No
- 2. Has your child traveled to a high-risk country\* for more than 1 week? Yes  $\square$  No  $\square$
- 3. Has a family member or contact had tuberculosis disease? Yes  $\square$   $\:$  No  $\:$
- 4. Has a family member had a positive TST or IGRA result? Yes  $\square$   $\$  No  $\square$
- \* High-risk country: Any country other than the United States, Canada, Australia, New Zealand, or a country in Western or Northern Europe

## If there is a "Yes" response to any of the questions above, then TST or IGRA testing should be performed.

**Note:** If the child being screened was previously tested, had a documented negative TST or IGRA result, and has not acquired any new risk factors since the last assessment, then he/she does not need to be re-tested.

<sup>&</sup>lt;sup>1</sup> Adapted from the Children's Medical Services, Child Health and Disability Prevention Program Risk Assessment Questionnaire Distributed in August 1, 2011 Provider Information Notice No. 11-04 Revised.

<sup>&</sup>lt;sup>2</sup> Centers for Disease Control and Prevention (CDC). Updated guidelines for using Interferon Gamma Release Assays to detect *Mycobacterium tuberculosis* infection – United States, 2010. *MMWR Morb Mortal Wkly Rep.* June 25, 2010, Vol. 59, No. RR-5.