



CITY OF PERRIS

DEVELOPMENT SERVICES DEPARTMENT
BUILDING AND SAFETY DIVISION
135 N. "D" Street, Perris, CA 92570-2200
TEL: (951) 443-1029 FAX: (951) 943-3293

Accessible Route of Travel to a Public Way

2019 California Building Code (CBC) Chapter 11B & Division 4

Section 11B-206.1 Accessible routes General. Accessible routes shall be provided where required by Section 11B-206.2 *and shall comply with Division 4*

Section 11B-206.2.1 Site Arrival. AT least one accessible route shall be provided within a site from accessible parking spaces and accessible passenger loading zones; public streets and sidewalks; and public transportation stops to the accessible building or facility entrance they serve. *Where more than one route is provided, all routes must be accessible.*

Section 11B-206.2.2 Within a site. At least one accessible route shall connect accessible buildings, accessible facilities, accessible elements, and accessible spaces that are on the same site.

Exception: *An accessible route shall not be required between accessible buildings, accessible facilities, accessible elements, and accessible spaces if the only means of access between them is a vehicular way not providing pedestrian access.*

Figure 11B-403.5.1 provides the required dimensions for an approved accessible route of travel.

Please refer to Chapter 11B Division 4 for more detailed provisions of the 2019 California Building Code (CBC).

